

CLAIMS

We claim:

1. A peelable foam coating composition, comprising an effective amount of:
an aqueous film forming polymeric resin;
a release agent;
a propellant;
a thickening agent;
a surfactant; and
a profoamer.

2. The peelable coating of Claim 1 including a dye or pigment in an effective amount of from .01 to 10.0 percent by weight.

3. The peelable coating of Claim 1 including a thickening agent in an effective amount of from 0.01 to 5.0 percent by weight.

4. The peelable coating of Claim 1 including an antifoam in an effective amount of from 0.01 to 1.0 percent by weight.

5. The peelable coating of claim 1, including an effective amount of a plasticizer.

6. The peelable coating of claim 1 including an effective amount of an antiskinning agent.

7. The peelable coating of claim 1 including an effective amount of an antioxidant.

8. The peelable coating of claim 1 including an effective amount of a carrier selected from the group consisting of an aqueous carrier, a solvent carrier, or combination thereof.

9. A foamy peelable coating composition, comprising:
an aqueous polyurethane dispersion resin in an effective amount ranging from about
75.0 percent to about 98.0 percent by weight of the total weight percent of the
composition;

5 a release agent in an amount of from between 0.1 and 5.0 percent of the total
weight percent of the composition;

and

a propellant in an amount of from 5.0 to 20.0 percent of the total weight
percent of the composition.

10 10. The peelable coating of Claim 9 including a dye or pigment in an effective
amount of from 0.01 to 10.0 percent by weight

11. The peelable coating of Claim 9 including a thickening agent in an effective
amount of from 0.01 to 5.0 percent by weight.

12. The peelable coating of Claim 9 including a surfactant in an effective amount
15 of from 0.01 to 10.0 percent by weight.

13. The peelable coating of Claim 9 including an anti-skinning agent in an effective
amount of from 0.01 to 1.0 percent by weight.

14. The peelable coating of Claim 9 including an effective amount of a carrier
selected from the group consisting of an aqueous carrier, a solvent carrier, or
combination thereof.

15. A peelable foam coating composition comprising:
a vinyl toluene acrylate copolymer resin in an amount of from between 27.0 to
30.0 weight percent;
an aromatic solvent in an amount of from between 12.0 to 15.0;

an aliphatic solvent in an amount of from between 38.0 to 40.0 weight percent;
a pigment in an amount of from between 3.0 to 5.0 weight percent;
release agent in an amount of from between 5.0 to 7.0 weight percent;
5 a propellant in an effective amount selected from the group consisting of a
carbon dioxide and a hydrocarbon propellant;
a plasticizer in an amount of from 6.0 to 9.0 weight percent; and
a thickner in an amount of from 0.1 to 2.0 weight percent.

11050
1051